

SPECIFIKACIJA PRODAJNOG ASORTIMANA PAVATEX
23.03.2017.

NAZIV MATERIJALA	Profil	Deblj. mm	Težina kg/m ²	Format cm	Komada Paleta	Paleta m ²	Broj paleta	m ² /kamion
PAVATEX -ISOLAIR izolacija za krovnu konstrukciju 35-80 mm¹⁾ -200kg/m ³ (λ=0.044W/(mK)) 100-160mm²⁾ -145 kg/m ³ (λ=0.041 W/(mK))	m/ž Falc	35 ¹⁾	7.2	250 x 77	30	57.75	30	1732.50
	m/ž Falc	40 ¹⁾	8.2	250 x 77	28	53.9	30	1617.00
	m/ž Falc	52 ¹⁾	10.7	250 x 77	20	38.5	30	1155.00
	m/ž Falc	60 ¹⁾	12.3	250 x 77	18	34.65	30	1039.50
	m/ž Falc	80 ¹⁾	16.4	180 x 58	28	29.23	28	818.44
	m/ž Falc	100 ²⁾	14.5	180 x 58	22	22.97	28	643.10
	m/ž Falc	120 ²⁾	17.4	180 x 58	18	18.8	28	526.20
	m/ž Falc	140 ²⁾	20.3	180 x 58	16	16.7	28	467.60
Isolair Bitumen 24 mm³⁾ -240kg/m ³	m/ž Falc	24 ³⁾	6	252 x 77	40	77.62	30	2328.50

NAZIV MATERIJALA	Profil	Deblj. mm	Težina kg/m ²	Format cm	Komada Paleta	Paleta m ²	Broj paleta	m ² /kamion
PAVAWALL 130 kg/m³ - λ=0,040 W/(mK) Fasadni sistem za čvrste podloge	bez falca	60	7.8	80 x 60	72	34.6	32	1105.92
	bez falca	80	10.4	80 x 60	56	26.88	32	860.16
	bez falca	100	13	80 x 60	44	21.12	32	675.84
	bez falca	120	15.6	80 x 60	36	17.28	32	552.96

NAZIV MATERIJALA	Profil	Deblj. mm	Težina kg/m ²	Format cm	Komada Paleta	Paleta m ²	Broj paleta	m ² /kamion
PAVATHERM-COMBI FD 145 kg/m ³ λ=0,041 W/(mK) Dimenzija ploče 178 x 56 Ventilirajuća fasada i unutarnja zvučna i term. Izolacija, klasa D po standardu zapaljivosti materijala	m/ž Falc	40	6.2	180 x 58	56	58.5	28	1637.00
	m/ž Falc	60	9.3	180 x 58	36	37.6	28	1052.40

NAZIV MATERIJALA	Profil	Debljina (mm)	Težina (kg/m ²)	Ploča format (cm)	Ukupno ploča na paleti	Paleta (m ²)	Broj paleta/kamion	(m ²) / kamion
SWISSTHERM 150 kg/m³ λ=0,039 W/(mK) Izolacija za unutrašnji prostor, jedinstven zvučni izolator u zidovima od gips pregrada i vrhunska termička izolacija	bez falca	30	4.5	110 x 60	144	95.04	24	2280.96
	bez falca	40	6.0	110 x 60	112	73.92	24	1774.08
	bez falca	60	9.0	110 x 60	72	47.52	24	1140.48
	bez falca	80	12.0	110 x 60	56	36.96	24	887.04
	bez falca	100	15.0	110 x 60	44	29.04	24	696.96
	bez falca	120	18.0	110 x 60	36	23.76	24	570.24

NAZIV MATERIJALA	Profil	Deblj. mm	Težina kg/m ²	Format cm	Komada Paleta	Paleta m ²	Broj paleta	m ² /kamion
PAVAROOM 230 kg/m ³ λ=0,044 W/(mK) izolaciona ploča za opremanje enterijera.	m/ž Falc	30	6.9	125 x 54	136	99.9	20	1998.00
	m/ž Falc	30	6.9	250 x 54	68	99.9	20	1998.00
	m/ž Falc	60	13.8	125 x 54	72	48.6	20	972.00
	m/ž Falc	60	13.8	250 x 54	36	48.6	20	972.00

NAZIV MATERIJALA	Profil	Debljina (mm)	Težina (kg/m ²)	Ploča format (cm)	Ukupno ploča na paleti	Paleta (m ²)	Broj paleta/kamion	(m ²) / kamion
PAVABOARD 220 kg/m ³ λ=0,046 W/(mK) Pogodan kao podloga za parket i glazuru	bez falca	20	4.5	110 x 60	224	147.8	24	3548.16
	bez falca	40	9.0	110 x 60	112	73.9	24	1774.08
	bez falca	60	13.5	110 x 60	72	47.5	24	1140.48

NAZIV MATERIJALA	Profil	Debljina (mm)	Težina (kg/m ²)	Ploča format (cm)	Ukupno ploča na paleti	Paleta (m ²)	Broj paleta/kamion	(m ²) / kamion
PAVATEX-DIFFUTHERM 190 kg/m ³ λ=0,043 W/(mK) Fasadni sistem	m/ž Falc	60	11.1	145 x 58	36	30.3	36	1089.94
	m/ž Falc	60	11.1	250 x 58	36	52.2	36	1879.20
	m/ž Falc	80	14.8	145 x 58	28	23.5	36	847.73
	m/ž Falc	100	18.5	145 x 58	22	18.50	36	666.07
	m/ž Falc	120	22.2	145 x 58	18	15.14	36	544.97

NAZIV MATERIJALA	Ploča	Paketa	Debljina (mm)	Težina (kg/m ²)	Ploča format (cm)	Ukupno ploča na paleti	Paleta (m ²)	Broj paleta/kamion	(m ²) / kamion
PAVAFLEX 55 kg/m³ Vuna od drvenih vlakana NARUDŽBA NA PUN KAMION	8	14	40	2.2	135 x 57.5	112	86.9	20	1738.80
	9	10	50	2.8	135 x 57.5	90	69.9	20	1397.25
	6	12	60	3.3	135 x 57.5	72	55.9	20	1117.80
	4	14	80	4.4	135 x 57.5	56	43.5	20	869.40
	3	14	100	5.5	135 x 57.5	42	32.6	20	652.05
	3	12	120	6.6	135 x 57.5	36	27.9	20	558.90
	2	16	140	7.7	135 x 57.5	32	24.8	20	496.80
	2	14	160	8.8	135 x 57.5	28	21.7	20	434.70
	2	12	180	9.9	135 x 57.5	24	18.6	20	372.60
	2	10	200	11	135 x 57.5	20	15.5	20	310.50
	2	10	220	12.1	135 x 57.5	20	15.5	20	310.50
	2	8	240	13.2	135 x 57.5	16	12.4	20	248.40

NAZIV MATERIJALA	Ploča	Paketa	Debljina (mm)	Težina (kg/m ²)	Ploča format (cm)	Ukupno ploča na paleti	Paleta (m ²)	Broj paleta/kamion	(m ²) / kamion
PAVAFLEX L PLUS 40 kg/m³ Vuna od drvenih vlakana NARUDŽBA NA PUN KAMION	8	14	40	1.6	135 x 57.5	112	86.9	20	1738.80
	9	10	50	2.0	135 x 57.5	90	69.9	20	1397.25
	6	12	60	2.4	135 x 57.5	72	55.9	20	1117.80
	4	14	80	3.2	135 x 57.5	56	43.5	20	869.40
	3	14	100	4.0	135 x 57.5	42	32.6	20	652.05
	3	12	120	4.8	135 x 57.5	36	27.9	20	558.90
	2	16	140	5.6	135 x 57.5	32	24.8	20	496.80
	2	14	160	6.4	135 x 57.5	28	21.7	20	434.70
	2	12	180	7.2	135 x 57.5	24	18.6	20	372.60
	2	10	200	8.0	135 x 57.5	20	15.5	20	310.50
	2	10	220	8.8	135 x 57.5	20	15.5	20	310.50
	2	8	240	9.6	135 x 57.5	16	12.4	20	248.40